S4A INDUSTRIAL CO.,LIMITED



Emergency Exit Electronic

Push Rod (304 Stainless Steel)

PB-S65A/N, 100A/N

Here are the available models for your choose, Available for 1000mm and 650mm

Model No.	Photo	Material	Lenght / CM	Alarm output
PB-BF65A		Baking Finish	65cm	YES
PB-BF65N				NO
PB-BF100A			100cm	YES
PB-BF100N				NO
PB-S65A		Stainless Steel 304	65cm	YES
PB-S65N				NO
PB-S100A			100cm	YES
PB-S100N				NO

Specifications

- > Fire-proof ability
- > Fits doors 30'-36' wide
- > Panic devise with dogging feature
- > Solid cored spring bolt
- > Normally open/close

- > Corrosion resistance
- > Able for exterior opening with keys
- > Reversible, non-hand opening
- > Competent for crowded public places
- > Prevents unauthorized access
- > Rounded edges avoiding accidental injury

Product Feature:

- > Suitable for both wood or metal door applications (not used for glass doors).
- > Easy Installation.
- > Excellent Quality Panic Hardware.
- > Strike Plate, Dogging Key and Screws Included
- > Able to resist the strong external pull. Solid cored spring bolt, resisting sawing and destruction. Trustworthy guardian for life and property security.
- > Suitable for controlling visitor flow rate, preventing unauthorized access and theft.
- > Meets legal demands for emergency exit devices in buildings.
- > Doors will open faster based on convenient non-hand opening with a large compression area.
- > Doors will open with a lighter force of <=70N.
- > Rounded edges with standard curving, preventing accidental injuries in an emergency.
- > High-resistance to corrosion, passes long-time tests without damaged parts, ensuring its ability to fit in all kinds of places.



size:





