RFID Checkpoint Patrol Systems With Free Software

GTP-6200E

USB cable	Z-6200E Strong LED Lighting Guard Tour System

The latest guard tour reader with LED lighting, an upgrade version based on model GTP-6200E now work with built-in rechargeable lithium battery, more stable battery life.

The reader can detect dropping automatically and generate a history report. No need to install the USB driver, simplify the software operation.

Features

> 125kHz RFID Frequency Reading

> Huge Memory Space, Nothing Gonna Stop Your Outdoor Work

> Super Strong Lighting Modes Can Be Supported Any Tough Work Environment at Night

> Tracing Any Responsibility Of Sabotage

> Rock solid, Metal Making

Specifications

Read tag technology	
Tag type	125kHz EM ID tags
Reading method	Auto-induction, free from pressing any button
Material	
Body	Aluminium alloy
Induction area	Plastic
Lighting	
Mode	Bright light, normal light, low light, strobe and SOS alarm
Lumen	300 LMS
Distance	50 meters

Communication	
Data	USB communication, average download speeds up to 320
	pcs per second
Prompt	LED indicator&Vibration
Capacity	
Storage capacity	80,000pcs
Impact records	32,000pcs
Battery capacity	900mAh
Workable environment	
Temperature	-20℃ to 70℃ (-4℉ to 158℉)
Humidity	0% to 95%
Performance	IP 65, waterproof, shockproof
Power	
Power Supply	3.7v
Dimensions	
Length	130mm
Width	40mm
Hight	25mm
Weight	170g

1) Smooth Design

Gold section scale, supernatural

2) Anti-Slide

Double silicone block for anti-slide

3) LED Indicator

LED pilot lamp & vibration

4) 50 Meters Lighting

Nothing gonna stop your night-patrol

COMPUTER
Patrol software

USB cable

Patrol device

Route

Print report:
Statistics
Miss
Punctual
Unpunctual

Police   Tag1

Community   Tag2

Parking lots   Tag3

Office   Tag4

School   Tag..